

DATA CONTAINED IN THIS DOCUMENT IS PROPRIETARY TO TROMPETER ELECTRONICS INC. AND SHALL NOT BE DISCLOSED, COPIED OR USED FOR REPRODUCTION OR MANUFACTURE WITHOUT EXPRESS WRITTEN PERMISSION.

REV		DESCRIPTION	REVISIONS		DATE
W		REVISED PER ECO 16419	DOWN	APPROVED	
			L.M.	<i>mmc</i>	<i>8/22/80</i>

3-0043 SH 1

DASH NO	CABLES ACCOMMODATED	A DIM	B DIM	C HEX	O FLATS	E DIA	F DIA MAX	CABLE ENTRY DIA	ASSEMBLE PER
-7	TRC-50-2 TRC-75-2	1.314	.096	.438	.500	.500	.593	.274	TAI-189
-8	8227 BELDEN	1.648	.130	.625	.688	.750	.775	.345	TAI-103
-9	TWC-78-2 TWC-124-2	1.314	.096	.438	.500	.500	.593	.285	TAT-102
-10	RG-22							.455	
-11	754E W.E.CO. 760A W.E.CO. 16 PEVL W.E.CO.	1.648	.130	.625	.688	.750	.775	.347	TAI-103
-12	V1-AL GENERAL							.465	TAI-128
-13	TRF-59 TIMES							.362	TAI-129
-13A	B232 BELDEN							.352	TAI-165
-14	B233 BELDEN							.490	TAI-129
-23	250-3884 MICRODDT							.183	TAI-189
-24	202-3934 MICRODDT							.191	TAI-102
-24A	9530A5117 RAYCHEM							.200	TAI-189
-25	T-43M GENERAL							.285	TAI-102
-25A	5021HS331 RAYCHEM								TAI-189
-25	7028A551B RAYCHEM							.191	TAI-189
-27	T197PSJ2619EM WOVEN 202-3927 MICRODDT 202-3942 MICRODDT	1.314	.096	.438	.500	.500	.593	.145	TAI-102
-29	TWC-78-1/TWC-124-1A	1.314	.096	.438	.500	.500	.593	.191	
-30	751A W.E.CO. 8441 BELDEN							.235	
-32	TRC-50-1							.191	
-33	TRC-75-1							.217	
-42	21-204 ESSEX 4463 CONSOLIDATED							.300	TAI-189
-43	250-4044/250-4045 293-3930 MICRODDT							.200	
-45	M27500-22TE2T14 1100-66F STANDARD							.183	TAI-102
-46	9860 BELDEN	1.648	.130	.625	.688	.750	.775	.475	TAI-103
-47	M17/176-00002	1.314	.096	.438	.500	.500	.593	.154	TAI-102
-49	TWC-78-1F2	1.648	.130	.625	.688	.750	.775	.132	TAI-103
-54	89207 BELDEN							.323	TAI-103
-55	89272 BELDEN							.250	TAI-102
-56	GC875GC1, GRUMMAN							.191	TAI-189
-57	GC875GB1, GRUMMAN								TAI-102
-58	GC875M24H, GRUMMAN	1.314	.096	.438	.500	.500	.593	.198	TAI-102
-59	GC875LN1, GRUMMAN								TAI-189
-60	M17/177 THERMATICS							.217	TAI-189
-64	360-10045 BOEING 7528A5314, RAYCHEM							.183	

MILITARY PART NO (PIN)	MILITARY CABLE PART NO	TROMPETER P/N (REF ONLY)
M49142/06-0001	M17/134-00001	M3-0043-7
M49142/06-0101	M17/134-00001	M3-0043Y-7
M49142/06-0201	M17/134-00001	M3-0043S-7
M49142/06-0002	M17/134-00002	M3-0043-7
M49142/06-0102	M17/134-00002	M3-0043Y-7
M49142/06-0202	M17/134-00002	M3-0043S-7
M49142/06-0007	M17/176-00002	M3-0043-47
M49142/06-0107	M17/176-00002	M3-0043Y-47
M49142/06-0207	M17/176-00002	M3-0043S-47
M49142/06-0008	M17/176-00002	M3-0043-9
M49142/06-0108	M17/176-00002	M3-0043Y-9
M49142/06-0208	M17/176-00002	M3-0043S-9
M49142/06-0009	M17/177-00002	M3-0043-60
M49142/06-0109	M17/177-00002	M3-0043Y-60
M49142/06-0209	M17/177-00002	M3-0043S-60

KEYING LETTER	G DEGREES	H DEGREES	J DEGREES	COLOR BAND
NONE	120°	120°	120°	NONE
T	100°	150°	110°	RED
U	120°	130°	110°	ORANGE
V	115°	130°	115°	YELLOW
W	125°	110°	125°	GREEN
X	130°	100°	130°	BLUE
Y	110°	140°	110°	VIOLET
Z	100°	160°	100°	GRAY
S	135°	135°	90°	WHITE

FIG 2  
- 9 SHOWN






FIG 1  
- 9 SHOWN

**RED INDICATES ORIGINAL**

4. EXAMPLE OF COMPLETE MODEL NUMBER:



3. FOR BEND RELIEF SPRING (FIG 2) ADD SUFFIX "BR" TO MODEL NO (NOT AVAILABLE WITH CABLE GROUPS -8, -10, -11, -12, -13, -14, -46 AND -54)

2. CONCENTRIC TWINAX/TRIAX TR8 CABLE RECEPTACLE

1. FINISH: TFS-1A (NICKEL) 5

5 WHEN CONNECTOR IS SUPPLIED TO MILITARY PART NUMBER (SEE TABLE 2):

- a) ALL PARTS NORMALLY PLATED TFS-1A OR TFS-1U (NICKEL) ARE TO BE PLATED TFS-1M (SILVER)
- b) MARK PART WITH MILITARY PIN (SEE TABLE 2) (NICKEL) AND "14949"
- c) QUALITY CONFORMANCE INSPECTION SHALL BE PER MIL-C-49142 SECTION 4.5

QTY	DESCRIPTION	PART NUMBER	ITEM
TOL UNLESS SPECIFIED			
.XX ±			
.XXX ± .005			
.XXXX ±			
ANGLES			
305-0534			
305-0522			
305-0521	DOWN L.M. 7-25-07		
305-0458	CHK <i>ALP</i>	MATERIAL CODE IDENT 14949	DRAWING NO. 3-0043
305-0419	ENGR <i>ALP</i>		REV W
NEXT ASSY	APPR <i>Am</i>	SCALE 2/1	DATE 9/17/80 SHEET 1C

